

### NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

The drawing(s) filed (insert date) 3/12/04 are:

- A. ☒ approved by the Draftsperson under 37 CFR 1.84 or 1.152.  
B. ☐ objected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. Corrected drawings are required.

**1. DRAWINGS.** 37 CFR 1.84(a): Acceptable categories of drawings: Black ink or Color (3 sets required).

☐ Color drawings are not acceptable until petition is granted. Fig(s) \_\_\_\_\_

☐ Pencil and non black ink not permitted. Fig(s) \_\_\_\_\_

**2. PHOTOGRAPHS.** 37 CFR 1.84(b)

☐ One (1) full-tone set is required. Fig(s) \_\_\_\_\_

☐ Photographs may not be mounted. 37 CFR 1.84(e)

☐ Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) \_\_\_\_\_

☐ Poor quality (half-tone). Fig(s) \_\_\_\_\_

**3. TYPE OF PAPER.** 37 CFR 1.84(e)

☐ Paper not flexible, strong, white, and durable.

Fig(s) \_\_\_\_\_

☐ Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted.

Fig(s) \_\_\_\_\_

**4. SIZE OF PAPER.** 37 CFR 1.84(f): Acceptable sizes:

21.0 cm by 29.7 cm (DIN size A4) or

21.6 cm by 27.9 cm (8 1/2 x 11 inches)

☐ All drawing sheets not the same size.

Sheet(s) \_\_\_\_\_

☐ Drawings sheets not an acceptable size. Fig(s) \_\_\_\_\_

**5. MARGINS.** 37 CFR 1.84(g): Acceptable margins:

Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm

☐ Margins not acceptable. Fig(s) \_\_\_\_\_

Top (T) \_\_\_\_\_ Left (L) \_\_\_\_\_

Right (R) \_\_\_\_\_ Bottom (B) \_\_\_\_\_

**6. VIEWS.** 37 CFR 1.84(h)

REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig. 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.

☐ Views not labeled separately or properly.

Fig(s) \_\_\_\_\_

**7. SECTIONAL VIEWS.** 37 CFR 1.84(h)(3)

☐ Sectional designation should be noted with Arabic or Roman numbers. Fig(s) \_\_\_\_\_

**8. ARRANGEMENT OF VIEWS.** 37 CFR 1.84(i)

☐ Words do not appear on a horizontal, left-to-right fashion when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s) \_\_\_\_\_

**9. SCALE.** 37 CFR 1.84(k)

☐ Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction.

Fig(s) \_\_\_\_\_

**10. CHARACTER OF LINES, NUMBERS, &**

**LETTERS.** 37 CFR 1.84(l)

☐ Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) \_\_\_\_\_

**11. SHADING.** 37 CFR 1.84(m)

☐ Solid black areas pale. Fig(s) \_\_\_\_\_

☐ Solid black shading not permitted. Fig(s) \_\_\_\_\_

**12. NUMBERS, LETTERS, & REFERENCE**

**CHARACTERS.** 37 CFR 1.84(p)

☐ Numbers and reference characters not plain and legible. Fig(s) \_\_\_\_\_

☐ Figure legends are poor. Fig(s) \_\_\_\_\_

☐ Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1)

Fig(s) \_\_\_\_\_

☐ English alphabet not used. 37 CFR 1.84(p)(2)

Fig(s) \_\_\_\_\_

☐ Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) \_\_\_\_\_

**13. LEAD LINES.** 37 CFR 1.84(q)

☐ Lead lines missing. Fig(s) \_\_\_\_\_

**14. NUMBERING OF SHEETS OF DRAWINGS.**

37 CFR 1.84(t)

☐ Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) \_\_\_\_\_

**15. NUMBERING OF VIEWS.** 37 CFR 1.84(u)

☐ Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) \_\_\_\_\_

**16. DESIGN DRAWINGS.** 37 CFR 1.152

☐ Surface shading shown not appropriate.

Fig(s) \_\_\_\_\_

☐ Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) \_\_\_\_\_

**COMMENTS:**

Reviewer [Signature]

If you have questions, call (703) 305-8404.

Date 3/23/06

Attachment to Paper No. \_\_\_\_\_

## NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

The drawing(s) filed (insert date) 3/12/04 are:

- A. ☒ approved by the Draftsperson under 37 CFR 1.84 or 1.152.  
B. ☐ objected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. Corrected drawings are required.

**1. DRAWINGS.** 37 CFR 1.84(a): Acceptable categories of drawings: Black ink or Color (3 sets required).

☐ Color drawings are not acceptable until petition is granted. Fig(s) \_\_\_\_\_

☐ Pencil and non black ink not permitted. Fig(s) \_\_\_\_\_

**2. PHOTOGRAPHS.** 37 CFR 1.84(b)

☐ One (1) full-tone set is required. Fig(s) \_\_\_\_\_

☐ Photographs may not be mounted. 37 CFR 1.84(e)

☐ Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) \_\_\_\_\_

☐ Poor quality (half-tone). Fig(s) \_\_\_\_\_

**3. TYPE OF PAPER.** 37 CFR 1.84(e)

☐ Paper not flexible, strong, white, and durable.

☐ Fig(s) \_\_\_\_\_

☐ Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted.

☐ Fig(s) \_\_\_\_\_

**4. SIZE OF PAPER.** 37 CFR 1.84(f): Acceptable sizes:

☐ 21.0 cm by 29.7 cm (DIN size A4) or

☐ 21.6 cm by 27.9 cm (8 1/2 x 11 inches)

☐ All drawing sheets not the same size.

☐ Sheet(s) \_\_\_\_\_

☐ Drawings sheets not an acceptable size. Fig(s) \_\_\_\_\_

**5. MARGINS.** 37 CFR 1.84(g): Acceptable margins:

Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm

☐ Margins not acceptable. Fig(s) \_\_\_\_\_

☐ Top (T) \_\_\_\_\_ Left (L) \_\_\_\_\_

☐ Right (R) \_\_\_\_\_ Bottom (B) \_\_\_\_\_

**6. VIEWS.** 37 CFR 1.84(h)

REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A; Fig. 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.

☐ Views not labeled separately or properly.

☐ Fig(s) \_\_\_\_\_

**7. SECTIONAL VIEWS.** 37 CFR 1.84(h)(3)

☐ Sectional designation should be noted with Arabic or Roman numbers. Fig(s) \_\_\_\_\_

**8. ARRANGEMENT OF VIEWS.** 37 CFR 1.84(i)

☐ Words do not appear on a horizontal, left-to-right fashion when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s) \_\_\_\_\_

**9. SCALE.** 37 CFR 1.84(k)

☐ Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction.

☐ Fig(s) \_\_\_\_\_

**10. CHARACTER OF LINES, NUMBERS, & LETTERS.** 37 CFR 1.84(l)

☐ Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) \_\_\_\_\_

**11. SHADING.** 37 CFR 1.84(m)

☐ Solid black areas pale. Fig(s) \_\_\_\_\_

☐ Solid black shading not permitted. Fig(s) \_\_\_\_\_

**12. NUMBERS, LETTERS, & REFERENCE CHARACTERS.** 37 CFR 1.84(p)

☐ Numbers and reference characters not plain and legible. Fig(s) \_\_\_\_\_

☐ Figure legends are poor. Fig(s) \_\_\_\_\_

☐ Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) \_\_\_\_\_

☐ English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) \_\_\_\_\_

☐ Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) \_\_\_\_\_

**13. LEAD LINES.** 37 CFR 1.84(q)

☐ Lead lines missing. Fig(s) \_\_\_\_\_

**14. NUMBERING OF SHEETS OF DRAWINGS.** 37 CFR 1.84(t)

☐ Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) \_\_\_\_\_

**15. NUMBERING OF VIEWS.** 37 CFR 1.84(u)

☐ Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) \_\_\_\_\_

**16. DESIGN DRAWINGS.** 37 CFR 1.152

☐ Surface shading shown not appropriate.

☐ Fig(s) \_\_\_\_\_

☐ Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) \_\_\_\_\_

**COMMENTS:**

Reviewer \_\_\_\_\_

If you have questions, call (703) 305-8404.

Date 3/23/06

Attachment to Paper No. \_\_\_\_\_

### NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

The drawing(s) filed (insert date) 3/12/04 are:

☒ A. approved by the Draftsperson under 37 CFR 1.84 or 1.152.

☒ B. objected to by the Draftsperson under 37 CFR 1.84 or 1.152 for the reasons indicated below. Corrected drawings are required.

1. **DRAWINGS.** 37 CFR 1.84(a): Acceptable categories of drawings: Black ink or Color (3 sets required).

☐ Color drawings are not acceptable until petition is granted. Fig(s) \_\_\_\_\_

☐ Pencil and non black ink not permitted. Fig(s) \_\_\_\_\_

2. **PHOTOGRAPHS.** 37 CFR 1.84(b)

☒ One (1) full-tone set is required. Fig(s) 1A-1D

☐ Photographs may not be mounted. 37 CFR 1.84(c)

☐ Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) \_\_\_\_\_

☐ Poor quality (half-tone). Fig(s) \_\_\_\_\_

3. **TYPE OF PAPER.** 37 CFR 1.84(e)

☐ Paper not flexible, strong, white, and durable.

Fig(s) \_\_\_\_\_

☐ Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted.

Fig(s) \_\_\_\_\_

4. **SIZE OF PAPER.** 37 CFR 1.84(f): Acceptable sizes:

☐ 21.0 cm by 29.7 cm (DIN size A4) or

☐ 21.6 cm by 27.9 cm (8 1/2 x 11 inches)

☐ All drawing sheets not the same size.

Sheet(s) \_\_\_\_\_

☐ Drawings sheets not an acceptable size. Fig(s) \_\_\_\_\_

5. **MARGINS.** 37 CFR 1.84(g): Acceptable margins:

Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm

☐ Margins not acceptable. Fig(s) \_\_\_\_\_

Top (T) \_\_\_\_\_ Left (L) \_\_\_\_\_

Right (R) \_\_\_\_\_ Bottom (B) \_\_\_\_\_

6. **VIEWS.** 37 CFR 1.84(h)

REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig. 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.

☐ Views not labeled separately or properly.

Fig(s) \_\_\_\_\_

7. **SECTIONAL VIEWS.** 37 CFR 1.84(h)(3)

☐ Sectional designation should be noted with Arabic or Roman numbers. Fig(s) \_\_\_\_\_

8. **ARRANGEMENT OF VIEWS.** 37 CFR 1.84(i)

☐ Words do not appear on a horizontal, left-to-right fashion when page is either upright or turned so that the top becomes the right side, except for graphs. Fig(s) \_\_\_\_\_

9. **SCALE.** 37 CFR 1.84(k)

☐ Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction.

Fig(s) \_\_\_\_\_

10. **CHARACTER OF LINES, NUMBERS, & LETTERS.** 37 CFR 1.84(l)

☐ Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) \_\_\_\_\_

11. **SHADING.** 37 CFR 1.84(m)

☐ Solid black areas pale. Fig(s) \_\_\_\_\_

☐ Solid black shading not permitted. Fig(s) \_\_\_\_\_

12. **NUMBERS, LETTERS, & REFERENCE CHARACTERS.** 37 CFR 1.84(p)

☐ Numbers and reference characters not plain and legible. Fig(s) \_\_\_\_\_

☐ Figure legends are poor. Fig(s) \_\_\_\_\_

☐ Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) \_\_\_\_\_

☐ English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) \_\_\_\_\_

☐ Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) \_\_\_\_\_

13. **LEAD LINES.** 37 CFR 1.84(q)

☐ Lead lines missing. Fig(s) \_\_\_\_\_

14. **NUMBERING OF SHEETS OF DRAWINGS.** 37 CFR 1.84(i)

☐ Sheets not numbered consecutively, and in Arabic numbers beginning with number 1. Sheet(s) \_\_\_\_\_

15. **NUMBERING OF VIEWS.** 37 CFR 1.84(u)

☐ Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) \_\_\_\_\_

16. **DESIGN DRAWINGS.** 37 CFR 1.152

☐ Surface shading shown not appropriate.

Fig(s) \_\_\_\_\_

☐ Solid black surface shading is not permitted except when used to represent the color black as well as color contrast. Fig(s) \_\_\_\_\_

COMMENTS:

Reviewer [Signature]

If you have questions, call (703) 305-8404.

Date 2/17/06

Attachment to Paper No. \_\_\_\_\_